

**iQ700**  
**Oven**  
**HB673GBS1, Stainless steel**



**Included accessories**

- 1 x combination grid
- 1 x universal pan

**Optional accessories**

HZG0AS00 : Connecting cable 3m , HZ915003 : Glass roasting dish, 5,4 L , HZ6BCA0 : Cookbook , HZ66X650 : Cover Strip , HZ638370 : 3 level telescopic rails, full ext.pyro , HZ638270 : 2 level telescopic rails, full ext.pyro , HZ638170 : 1 level telescopic rail, full ext, pyro , HZ636000 : Glass pan , HZ634000 : Baking and roasting grid (standard) , HZ633070 : Professional pan, anthracite enamelled , HZ633001 : Lid for professional pan, enamelled anth , HZ632070 : Multipurpose pan, anthracite enamelled , HZ631070 : Baking tray, anthracite enamelled , HZ625071 : Grill tray, anthracite enamelled , HZ617000 : Pizza pan, anthracite enamelled , HZ327000 : Baking stone , HZ29020 : Conversion cabinet

“The oven offers modern baking and roasting convenience for best results.”

- ✓ fastPreheat: reach the required baking temperature sooner; coolStart: no need to preheat the oven for deep frozen food.
- ✓ activeClean®: the automatic system for effortless cleaning.
- ✓ cookControl10: automatic programs ensure best results.
- ✓ TFT Display: good readability from any perspective.
- ✓ 4D hotAir: flexible choice of shelf.

**Features**

**Technical Data**

Color / Material Front : Stainless steel  
 Built-in / Free-standing : Built-in  
 Integrated Cleaning system : Pyrolytic  
 Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550  
 Dimensions of the product (mm) : 595 x 594 x 548  
 Dimensions of the packed product (mm) : 670 x 680 x 660  
 Control Panel Material : Stainless steel  
 Door Material : Glass  
 Net weight (kg) : 37.872  
 Usable volume of cavity (l) : 71  
 Cooking method : , 4D hot air, Bottom heat, Conventional heat, Deep-frozen food special, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, Pizza setting  
 First cavity material : Enamelled  
 Number of interior lights : 1  
 Approval certificates : CE, VDE  
 Length electrical supply cord (cm) : 120  
 Interior Lights - cavity 1 : 1  
 Pull-out system : Accessory  
 Clock function : Alarm, Off, On  
 Included accessories cavity 1 : 1 x combination grid, 1 x universal pan  
 Broil Element Wattages cavity 1 (W) : 2800  
 Convection Element Wattages cavity 1 (W) : 2200  
 Energy efficiency class (2010/30/EC) : A+  
 Energy consumption per cycle conventional (2010/30/EC) : 0.87  
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.69  
 Energy efficiency index (2010/30/EC) : 81.2  
 Electrical connection rating (W) : 3600  
 Current (A) : 16  
 Voltage (V) : 220-240  
 Frequency (Hz) : 60; 50  
 Plug type : Gardy plug w/ earthing  
 Color / Material Front : Stainless steel  
 Energy input : Electric  
 Approval certificates : CE, VDE  
 Required cutout/niche size for installation (in) : x x  
 Dimensions of the packed product (in) : 26.37 x 25.98 x 26.77  
 Net weight (lbs) : 83.000  
 Gross weight (lbs) : 89  
 Length electrical supply cord (cm) : 120  
 Net weight (kg) : 37.872  
 Gross weight (kg) : 40.0



## iQ700

### Oven

#### HB673GBS1, Stainless steel

##### Features

##### Type of oven / heating system:

- Oven with 10 heating methods: 4D hot air, Hotair eco,, Conventional heat, Conventional heat ECO, hotAir grilling, Full width grill, Half width grill, Pizza setting, coolStart, Bottom heat
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

##### Design:

- Rotary Control
- Cavity inner surface: Enamel anthracite

##### Cleaning:

- activeClean®
- Pyrolytic proof trayholder and baking tray
- Full glass inner door

##### Comfort:

- 2,8"-TFT-color and text display with touch-control buttons
- Temperature proposal
- Actual temperature display
- heating-up control
- cookControl
- Sabbath setting
- softMove for gentle opening and closing of the oven door
- Supporting systems: Programs
- Number of automatic programmes: 10 PC
- electronic clock
- Rapid heating-up
- Halogen interior lighting, Independent oven interior light button
- Integral cooling fan
- Stainless-steel fan
- Info button
- Bar handle

##### Hook-in racks / rails

- Cavity with shelf support rails, Telescopic slide-out Accessory

##### Accessory:

- 1 x combination grid, 1 x universal pan

##### Environment and Safety:

- Very low door temperature
- Child lock
- Automatic safety switch off
- Residual heat indicator
- Start-/Stop button
- Door contact switch

##### Technical Info:

- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"
- Energy efficiency rating (acc. EU Nr. 65/2014): A+ (at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 0.87 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.69

kwh Number of cavities: 1 Heat source: electrical Cavity volume: 71 l

