



#### Serie | 8 Ovens

## Oven HBG675BS1, Stainless steel





### The built-in oven: you get perfect baking and roasting results.

- 4D Hot Air: even heat distribution for perfect results on any level.
- AutoPilot 10: every dish is a perfect success thanks to 10 preset automatic programmes.
- TFT display control: easy-to-use thanks to the control ring with full text and symbols.
- Pyrolytic self-cleaning: no cleaning effort thanks to automatic self-cleaning. Appliances with rails, the rails are also pyrolytic proof.
- Energy efficiency class A+: Best baking results with lower energy consumption.

#### Technical Data

Color / Material Front :	Stainless steel
Built-in / Free-standing :	Built-in
Integrated Cleaning system:	Pyrolytic
Required niche size for installation (HxWxD):	

585-595 x 560-568 x 550

Dimensions of the product (mm): 595 x 594 x 548

Dimensions of the packed product (HxWxD) (mm):

Control Panel Material:

Door Material:

Net weight (kg):

Usable volume of cavity (I):

Cooking method:

, 4D hot air, Bottom heat, Conventional heat, Defrost, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling,

First cavity material:

Temperature control:

Number of interior lights:

Approval certificates:

Length electrical supply cord (cm):

Interior Lights - cavity 1:

Enamelled electronic

electronic

CE, VDE

120

low temperature cooking, Pizza setting, pre-heating, warming

Pull-out system : Accessory
Clock function : Alarm, Off, On

Included accessories cavity 1:

1 x enamel baking tray, 1 x combination grid, 1 x universal pan Broil Element Wattages cavity 1 (W) : 2800 Convection Element Wattages cavity 1 (W) : 2200 Energy efficiency class (2010/30/EC) : A+

Energy consumption per cycle conventional (2010/30/EC):

0.87 Energy consumption per cycle forced air convection (2010/30/

EC): 0.69
Energy efficiency index (2010/30/EC): 81.2
Electrical connection rating (W): 3600
Current (A): 16
Voltage (V): 220-240
Frequency (Hz): 60; 50
Plug type: Gardy plug w/ earthing

Frequency (Hz): 60; 50
Plug type: Gardy plug w/ earthing
Color / Material Front: Stainless steel
Energy input: Electric
Approval certificates: CE, VDE
Required cutout/niche size for installation (in): x x

Required cutout/niche size for installation (in): x x

Dimensions of the packed product (in): 26.37 x 26.37 x 26.77

Net weight (lbs): 84

Gross weight (lbs): 120

Length electrical supply cord (cm): 120

Net weight (kg): 38.0

Gross weight (kg): 40.0





#### Serie | 8 Ovens

# Oven HBG675BS1, Stainless steel

## The built-in oven: you get perfect baking and roasting results.

#### Type of oven / heating system:

- Oven with 13 heating methods: 4D hotair, Hotair Eco,,
   Conventional heat, Conventional heat ECO, Hot air grilling,
   Full width grill, Half width grill, Pizza setting, Bottom heat,
   Low temperature cooking, Defrost, Preheating, Hold warm
- Temperature range 30 °C 300 °C
- Cavity volume: 71 l

#### Design:

- Rotary swivel knobs
- Cavity inner surface: Enamel anthracite

#### Cleaning:

- Pyrolytic self-cleaning function
- Pyrolitic proof trayholder and baking tray
- Full glass inner door

#### Comfort:

- 2,5"-TFT-color and text display with touch-control buttons
- Temperature proposal Actual temperature display heating-up control AutoPilot Sabbath setting
- Bottom-hinge opening, Oven door with SoftClose, soft opening
- Supporting systems: Programs
- Number of automatic programmes: 10 PC
- Electronic clock
- Rapid heating-up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- Stainless-steel fan
- Info button
- Bar handle

#### Hook-in racks / rails

- Cavity with shelf support rails, Telescopic slide-out Accessory

#### Accessory:

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

#### **Environment and Safety:**

 door lock electronical Child lock Automatic switch off Residual heat indicator Start-/Stop button Door contact switch

#### **Technical Info:**

- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"
- very low door temperature
- Energy efficiency rating (acc. EU Nr. 65/2014): A+ (at a range of energy efficiency classes from A+++ to D)
   Energy consumption per cycle in conventional mode: 0.87 kwh Energy consumption per cycle in fan-forced convection mode: 0.69 kwh Number of cavities: 1 Heat source: electrical Cavity volume: 71 |







### Serie | 8 Ovens

# Oven HBG675BS1, Stainless steel


Installation with a hob.




measurements in mm



measurements in mm





If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type		min. worktop thickness	
		fitted	flush
	Induction hob	37 mm	38 mm
	Full surface Induction hob	47 mm	48 mm
	Gas hob	30 mm	38 mm
	Electric hob	27 mm	30 mm