



# CMC ELECTRIC

N 70

T26DS49N0

60 CM, GAS HOB WITH INTEGRATED CONTROLS,  
STAINLESS STEEL



#### Optional accessories

Z2480X0 Simmer plate  
Z32SE10X0 Small pot support



COOKING PASSION SINCE 1877

The gas hob with a stainless-steel surface design and incrementally adjustable FlameSelect.

- ✓ FlameSelect - Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 gradations. Always the same reliable and precise power levels for outstanding cooking convenience.
- ✓ Continuous cast-iron pan supports for maximum stability and cooking convenience.
- ✓ Sword knobs - A better feel and easier to operate - the new knob in an attractive design.

#### Features

##### Technical Data

Product name/family : gas hob w integrated controls  
Construction type : Built-in  
Energy input : Gas  
Total number of positions that can be used at the same time : 4  
Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492  
Width of the product (mm) : 582  
Dimensions of the product (mm) : 45 x 582 x 520  
Dimensions of the packed product (HxWxD) (mm) : 141 x 651 x 578  
Net weight (kg) : 10.629  
Gross weight (kg) : 12.0  
Residual heat indicator : without  
Location of control panel : Hob front  
Basic surface material : Stainless steel  
Color of surface : Stainless steel  
Color of frame : Stainless steel  
Approval certificates : CE, Eurasian  
Length electrical supply cord (cm) : 100  
Knob Material : Plastic  
Sealed Burners : No  
Type of pan support : Elongated cast iron pan support  
Electrical connection rating (W) : 1  
Gas connection rating (W) : 7500  
Current (A) : 3  
Voltage (V) : 220-240  
Frequency (Hz) : 50; 60  
Main colour of product : Stainless steel  
Energy input : Gas  
Gas type : Nat gas H/E/(L) 20 (25) mbar  
Alternative gas type : Liquid gas G30,31 28-30/37mbar  
Approval certificates : CE, Eurasian  
Plug type : no plug  
Appliance Dimensions (h x w x d) (in) : + x x  
Dimensions of the packed product (in) : 5.55 x 22.75 x 25.62  
Net weight (lbs) : 23  
Gross weight (lbs) : 25  
Total number of positions that can be used at the same time : 4  
Length electrical supply cord (cm) : 100  
Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492  
Dimensions of the product (mm) : 45 x 582 x 520  
Dimensions of the packed product (HxWxD) (mm) : 141 x 651 x 578  
Net weight (kg) : 10.629  
Gross weight (kg) : 12.0





**CMC**  
**ELECTRIC**

N 70

T26DS49N0

60 CM, GAS HOB WITH INTEGRATED CONTROLS,  
STAINLESS STEEL

#### Features

##### Design:

- Stainless steel

##### Comfort:

- FlameSelect
- Sword control knobs
- 1-hand ignition
- Cast iron continuous pan supports

##### Power and size:

- 4 Gas burners
- 1 rapid, 2 standard, 1 economy burner
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

##### Environment+safety:

- Flame failure safety device
- Preset of natural gas (20mbar)

##### Measurements:

- Power cord length 1m

##### Accessories

- Liquid gas nozzles (28-30/37mbar) included



**CMC**  
**ELECTRIC**

N 70

T26DS49N0

60 CM, GAS HOB WITH INTEGRATED CONTROLS,  
STAINLESS STEEL

Dimensioned drawings

