





Serie | 8

PXX675DV1E , Comfort profile 60 cm, Ceramic hob



Optional accessories

- HEZ390011 : Stainless Steel roaster with glas lid
- HEZ390012 : Steaming Rack for Stainless Steel roaste
- HEZ390042 : Set of 3 pots and 1 pan
- HEZ390090 : Wok Set consisting of 3 Items
- HEZ390210 : System pan diameter 15 cm
- HEZ390220 : System pan diameter 19 cm
- HEZ390230 : System pan diameter 21cm
- HEZ390511 : Teppan Yaki (small)
- HEZ390512 : Teppan Yaki (large)
- HEZ390522 : Griddle Plate
- HEZ399092 : Cookbook frying sensor(5 levels)HC-Dummy

The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.

- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **PerfectFry:** For perfect browning of roasted foods thanks to sensor control with 5 power levels.
- **FlexInduction Zone:** Get more flexibility by combining the cooking zones into one big zone for placing small pots and large cookware.
- **Home Connect:** Connected home appliances for an easier everyday life. (only in countries where Home Connect service is available)
- **Cooktop-based hood control:** convenient operation of the hood via your hob (with matching hood)
- **Induction:** Fast, precise cooking, easy cleaning and low energy consumption.
- **PowerBoost:** Up to 50% more power for faster heating.

Technical Data

Product name/family :	Cooking zone ceramic
Construction type :	Built-in
Energy input :	Electric
Total number of positions that can be used at the same time :	4
Required niche size for installation (HxWxD) :	51 x 560-560 x 490-500
Width of the product (mm) :	606
Dimensions of the product (mm) :	51 x 606 x 527
Dimensions of the packed product (HxWxD) (mm) :	126 x 753 x 603
Net weight (kg) :	14.236
Gross weight (kg) :	16.0
Residual heat indicator :	Separate
Location of control panel :	Hob front
Basic surface material :	Ceramic
Color of surface :	Alu, brushed, Black
Color of frame :	Alu, brushed
Approval certificates :	AENOR, CE
Length electrical supply cord (cm) :	110
Sealed Burners :	No
heating with booster :	All
Power of 2nd heating element (kW) :	3.3
Power of heating element (kW in boost) :	[3.7]
Power of 2nd heating element (kW in boost) :	3.7
Power of 6th heating element (kW in boost) :	3.7
Electrical connection rating (W) :	7400
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Main colour of product :	Black
Energy input :	Electric
Approval certificates :	AENOR, CE
Plug type :	no plug
Required cutout/niche size for installation (in) :	x x
Appliance Dimensions (h x w x d) (in) :	+ x x
Dimensions of the packed product (in) :	4.96 x 23.74 x 29.64
Net weight (lbs) :	31
Gross weight (lbs) :	34
Total number of positions that can be used at the same time :	4
Length electrical supply cord (cm) :	110
Required niche size for installation (HxWxD) :	51 x 560-560 x 490-500
Dimensions of the product (mm) :	51 x 606 x 527
Dimensions of the packed product (HxWxD) (mm) :	126 x 753 x 603
Net weight (kg) :	14.236
Gross weight (kg) :	16.0





Serie | 8 Hobs

PXX675DV1E , Comfort profile 60 cm, Ceramic hob

The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.

Measurements:

- Measurement: (H/B/T) 51 x 606 x 527 mm
- Installation dimensions: (ID/W/D) 51 mm x 560 mm x 490 mm
- Min. worktop thickness: 30 mm
- Connection cable (1.1 M)
- Connected load: 7.4 kW
- Cable included

Professional equipment:

- PerfectFry sensor with 5 temperature settings

Design:

- Comfort profile

Quickness:

- PowerBoost function for all zones
- PanBoost

Comfort:

- 4 Induction cooking zones
- DirectSelect Premium touch control
- MoveMode (3 levels)
- Electronic display
- Switch off timer for every cooking zone
Timer
Count-up timer
- ReStart Function
- QuickStart Function
- Home Connect (only in countries where Home Connect service is available)
- Hob-based hood control (with matching hood)
- Keep warm function for all cooking zones

Power and size:

- Cooking zones: 1 x Ø 380 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 190 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 380 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 190 mm, 2.2 KW (max. Power levels 3.7 KW) Induction
- 17 power levels

Environment+safety:

- 2 stage residual heat indicator for each zone
- Main switch
- Automatic pan recognition sensor
PowerManagement Function
Safety switch-off
Childproof lock
Wipe protection function
Quick pot off
- Energy consumption display



Serie | 8 Hobs

PXX675DV1E , Comfort profile 60 cm, Ceramic hob

